


HOWARD PRICE LIST





CONTENTS

SPECIFICATIONS	2
NUGGET	4
EHDE	6
EHD	7
SLASHER OPTIONS	8
RLM ROLLER MOWERS	9
ROTARY HOES	10
CONTACTS	12



SPECIFICATIONS

	Tracto	or Power	WORKING	WIDTH	1 1511/4 65	WEIGHT	DTO .
MODEL	MODEL MIN HP MAX HP		WIDTH CM	OVERALL CM	LINKAGE CAT	(APPROX.) KG	PTO RPM
			NUGGET S	SLASHERS			
NUG120	25	45	120	134	O/1	260	540
NUG135	28	45	137	151	1	275	540
NUG150	30	100	152	169	1 + 2 pins	390	540
NUG180	36	100	183	197	1 + 2 pins	465	540
NUG210	42	100	213	231	2	560	540
			EHD E SERIE	S SLASHERS			
EHD180E	70	150	183	200	2	675	540
EHD210E	85	150	213	233	2	920	540
EHD300E	100	160	297	316	2	1150	540
			EHD SERIES	S SLASHERS			
EHD180	70		183	200	2	660	540
EHD210	85	Not Limited (i)	213	233	2	915	540
EHD240	90		236	250	2	975	540
					(i) Tractor hp not lin	nited provided clutch	is correctly set.
			RLM M	OWERS			
RLM178	30	75	178	191	1 + 2 pins	460	540
RLM237	45	95	237	250	2	800	540
RLM350	75	110	349	236(ii)	2	1095	540
						(ii) T	ransport width.
			AH4000 RC	TARY HOES			
AH4255	100	200	254	307	2	1405 (iii)	1000
AH4305	120	200	305	358	3/3N	1690 (iii)	1000
AH4355	140	200	355	408	3/3N	1845 (iii)	1000
AH4405	160	200	405	459	3/3N	2125 (iii)	1000
			CH4000 RC	TARY HOES			
CH4420	160	300	417	463	3 /4N	2780 (iii)	1000
CH4470	180	300	468	513	3/4N	3080 (iii)	1000
CH4570	220	300	569	605	3 /4N	3505 (iii)	1000
CH4620	240	300	620	647	3/4N	3775 (iii)	1000
		(iii) Typical m	naximum weight gi	ven. AH includes cri	umble roller. CH inclu	ıdes rear toolbar and	d crumble roller.

⁽iii) Typical maximum weight given. AH includes crumble roller. CH includes rear toolbar and crumble roller.

TERMS AND CONDITIONS:

PFG Australia reserves the right to change pricing and specifications without notice. All product images are for illustrative purposes only and may show optional accessories not included as standard.

HOW TO ORDER:

- 1. All orders are now to be entered online via PFG Powerlink Portal.
- $2. \quad \text{You will receive an automatic email notification once your order has been placed, outlining what you have ordered.} \\$
- 3. An additional order confirmation will be sent from PFG once the order has been processed. Please check all details are correct.
- 4. FOR PREPAYMENT CUSTOMERS ONLY Once your order is complete, a proforma invoice will be sent for payment prior to collection.
- 5. Once finance is received from proforma payment or approved floor plan, a tax invoice will be issued and emailed, indicating that your order is available for collection.







RECOMMENDED FOR TRACTORS UP TO 45HP

The HOWARD Nugget compact range of slashers is designed and built to meet the market requirements for a tough, long-life compact slasher at the right price.

Many of the features from the larger HOWARD slashers are incorporated to ensure long service life and top performance. They can be either centre mounted or offset to meet all your slashing requirements.

PRODUCT CODE	MODEL	OH & S COMPLIANT	CUTTING WIDTH	REC. TRACTOR HP	REAR WHEEL (S)	PRICE EX. GST	PRICE INCL. GST
HS-NUG120L3	NUG 120	✓	1.2m	25-45	Optional	\$3,470	\$3,817
HS-NUG135L3	NUG 135	✓	1.37m	28-45	Optional	\$3,990	\$4,389

- · Complies with the WorkCover Slasher Safety Guide:
 - Extended Front & Rear Apron to protect against foot/blade contact
 - Front Chains & Rear Debris Guarding
- · Heavy, 4mm, gusseted shoulder steel body
- · Adjustable skids for accurate cutting height control
- Friction clutch protection to safe-guard both the tractor transmission and Nugget drive train

- $\cdot\;$ Latest design, high clearance two piece blade carrier
- · Forged, step-down blades for fine, even mowing
- · Pivoting head stock and chain back stays
- · Optional rear wheel kit available
- · Hot dip Galvinised body for corrosion resistance
- $\boldsymbol{\cdot}$ $\,$ Smooth top for easy clean and reducing vegetation buildup



RECOMMENDED FOR TRACTORS UP TO 100HP

For a larger general purpose slasher the Nugget 150, 180 and 210 are designed and built to out perform all competitive machines within their price range. A hot dip galvanised body for corrosion resistance combined with a smooth top for preventing vegetation build up ensuring a long service life and top performance.



PRODUCT CODE	MODEL	OH & S COMPLIANT	CUTTING WIDTH	REC. TRACTOR HP	REAR WHEEL (S)	PRICE EX. GST	PRICE INCL. GST
HS-NUG150S4	NUG 150	✓	1.52m	30-100	Optional	\$6,490	\$7,139
HS-NUG180S4	NUG 180	✓	1.83m	36-100	Optional	\$6,890	\$7,579
HS-NUG210S4	NUG 210	✓	2.13m	42-100	Optional x2	\$9,500	\$10,450

- · Complies with the WorkCover Slasher Safety Guide:
 - Extended Front & Rear Apron to protect against foot/blade contact.
 - Front & Rear Chain Debris Guarding.
- · Heavy, 4mm, gusseted shoulder steel body
- · Easy height adjustment
- · Curved skids to reduce scalping
- · Hot dip Galvinised body for corrosion resistance

- Friction clutch protection to safe-guard both the tractor transmission and Nugget drive train
- $\cdot\;$ Latest design, high clearance two piece blade carrier
- · Forged, step-down blades for fine, even mowing
- Pivoting head stock with chain back stays for increased performance
- · Smooth top for easy clean and reducing vegetation buildup
- · Optional rear wheel kit available





RECOMMENDED FOR TRACTORS UP TO 150HP

HOWARD's EHDE Series is a new model variant utilising the body & blade beam from the EHD series together with a market standard transmission (gearbox and friction clutch) to produce a competitively priced slasher.

The EHDE maintains all the benefits of the EHD Series body with good under-body clearance and the proven multi-leaf alloy spring steel blade beam. You can now have the legendary performance of an EHD with a more price conscious entry level spec.

PRODUCT CODE	MODEL	OH & S COMPLIANT	CUTTING WIDTH	REC. TRACTOR HP	REAR WHEEL (S)	PRICE EX. GST	PRICE INCL. GST
HS-EHD180ES2	EHD 180E	✓	1.8m	70-150	Optional	\$11,990	\$13,189
HS-EHD210ES2	EHD 210E	✓	2.1m	85-150	Included	\$15,900	\$17,490
HS-EHD300ES2	EHD 300E	✓	2.97m	100-160	Included	\$25,990	\$28,589

- · Complies with the WorkCover Slasher Safety Guide:
 - Extended Front & Rear Apron to protect against foot/blade contact
 - Front & Rear Chain Debris Guarding.
- · Alloy spring-steel blade beam assembly
- Galvanised body
- · Clevis hitch mounting
- 2x pivoting rear wheels are standard on EHD210E and EHD300E

- · 5mm body
- Pivoting Topmast and Chain Backstays
- Body is reinforced with full-length tubular gussets on sides
- · Adjustable skids



UNLIMITED HP RATING

The EHD slasher is the benchmark for all slashers. No other brand has our history of rugged reliability and low running costs. Our confidence in the EHD is backed by an unlimited horsepower rating as the gearbox is fully fabricated from steel and fitted with a forged one piece blade beam spindle. This is all backed up with a TWO YEAR GEARBOX WARRANTY. A preferred choice for many contractors and municipal users as the EHD is built for optimum safety, performance and service life.

PRODUCT CODE	MODEL	OH & S COMPLIANT	CUTTING WIDTH	REC. TRACTOR HP	REAR WHEEL (S)	PRICE EX. GST	PRICE INCL. GST
HS-EHD180S2	EHD 180	✓	1.8m	70-UNLIMITED	Optional	\$14,200	\$15,620
HS-EHD210S2	EHD 210	✓	2.1m	85-UNLIMITED	Included	\$17,500	\$19,250
HS-EHD240S2	EHD 240	✓	2.4m	90-UNLIMITED	Included	\$20,300	\$22,330

- · Complies with the WorkCover Slasher Safety Guide:
 - Extended Front & Rear Apron to protect against foot/blade contact.
 - Front & Rear Chain Debris Guarding.
- Fabricated gearbox with forged one-piece blade beam spindle
- · Clevis hitch mounting
- · 2x pivoting rear wheels are standard on EHD210 & 240
- · Alloy spring-steel blade beam assembly

- · Galvanised body
- 5mm body
- $\cdot\;$ Pivoting Topmast and Chain Backstays
- Body is reinforced with full-length tubular gussets on sides
- · Adjustable skids
- · Top entry TW hatch for easy access to blade balts





SLASHER OPTIONAL EQUIPMENT

PRODUCT CODE	EHD/ EHD-E SLASHER OPTIONS	PRICE EX. GST	PRICE INCL. GST
HS-615520-EHD180	Mulching Blade Kit suit EHD/E 180/300 (2x Kit required for 300	\$575	\$633
HS-615520-EHD210	Mulching Blade Kit suit EHD/E 210	\$575	\$633
HS-615520-EHD240	Mulching Blade Kit suit EHD 240	\$600	\$660
HS-EHDWHEELS2	Single Rear Wheel kit	\$1,700	\$1,870
HO-20902941B	Additional Solid Rubber Tyre and Rim (Contractor Tyre) HS-EHDWHEELS2 also required	\$645	\$710
HS-EHDSTAND	EHD Stand – Support Stand (pair)	\$1,100	\$1,210
	NUGGET SLASHER OPTIONS	PRICE EX. GST	PRICE INCL. GST
HS-NUGL3WHL	Single Wheel Kit (suits Nugget 120L3 & 135L3)	\$790	\$869
HS-NUGS2WHL	Single Wheel Kit (Suits Nugget 150S4, 180S4 & 210S4) Suits also earlier S3 models.	\$670	\$737



DESIGNED FOR GENERAL MOWING IN A WIDER VARIETY OF APPLICATIONS INCLUDING PARKS, SPORTS OVALS, RESERVES, ROADSIDES AND TURF FARMS.

2 YEAR WARRANTY ON SPINDLE AND BEAM

PRODUCT CODE	MODEL	OVERALL WIDTH	CUTTING WIDTH	TRANSPORT WIDTH	REC. TRACTOR HP	CUT HEIGHT	WEIGHT	PRICE EX. GST	PRICE INCL. GST
HS-RLM178	RLM178	1.91m	1.78m	1.91m	30-110	0-100mm	460kg	\$10,900	\$11,900
HS-RLM237	RLM237	2.50m	2.37m	2.50m	45-110	0-100mm	725kg	\$14,500	\$15,950
HS-RLM350	RLM350	3.61m	3.49m	2.35m	75-110	0-100mm	1095kg	\$23,500	\$25,850

WHAT MAKES RLM A BETTER MOWER?

- · Hot dipped galvanised body
- · RLM will handle longer grass than competitive mowers
- · Convenient transport lock

- · Hydraulic SAFETY lock out on wings
- · Debris guards front and rear
- $\boldsymbol{\cdot}$ Minimal internal residue build-up due to open design



RLM unique and convenient transport lock.



Adjustable rollers provides precision height control. Cutting height indicators for even height settings.



Improved belt engagement on larger drive pulleys to reduce slipping in heavier grass conditions.



AH & CH SERIES

AH Series available in 2.5m, 3m, 3.5m & 4m

CH Series available in 4.2m, 4.7m, 5.7m & 6.2m

The new range of rotary hoes has been designed specifically for Australian conditions. The strong toolbar style design with rubber hull construction substantially reduces soil build up around the rotor that robs horse power and fuel efficiency. More effective in wetter conditions than competitors' machines, AH/CH Rotary hoes allow growers to work the ground earlier, plant earlier and get to market earlier.

OPTIONS:

Paraplough sub soiler tines



Rear wheels



- · Chain side drives
- Fabricated toolbar style frame that provides strength and versatility
- Rubber hull and trailing board prevents soil build up and hp consumption
- 248RPM rotor on AH Series and 275RPM on the CH Series

- · Optional Extras:
 - Crumble roller
 - Rear wheels
 - Toolbars and attachments such as paraplough, sub soiling tines and row furrowers

AH/CH 4000 SERIES

										1	4Н ОР	TIONS	5		
				AF	I SERIES						mble r Add	Whee	els Add		
MODEL	DRIVE	MIN HP	MAX HP	PTO RPM	WORKING WIDTH	TOTAL WIDTH	WEIGHT (MACHINE ONLY)	PRICE EX. GST	PRICE INCL. GST	PRICE EX. GST	PRICE INCL. GST	PRICE EX. GST	PRICE INCL GST		
AH4255	Single	100	200	1000	2.54m	3.1m	1,100kg	\$35,500	\$39,050	\$7,200	\$7,920	\$5,100	\$5,610		
AH4305	Single	120	200	1000	3.05m	3.6m	1,350kg	\$37,500	\$41,250	\$7,900	\$8,690	\$5,100	\$5,610		
AH4355	Single	140	200	1000	3.56m	4.1m	1,475kg	\$44,500	\$48,950	\$8,900	\$9,790	\$5,100	\$5,61		
AH4405	Single	160	200	1000	4.05m	4.59m	1,650kg	\$49,900	\$54,890	\$10,200	\$11,220	\$5,100	\$5,61		
						CH S	ERIES								
MODEL	DRIV	ΕM	IIN HP	мах н	P PTO RP	OM C	ORKING VIDTH	TOTAL WIDTH	WEIGH (MACHII ONLY)	NE ,	PRICE EX. GST		RICE L. GST		
CH4420	Dua	l	160	300	1000	2	4.17m	4.63m	2,225k	(g	\$83,900	\$9	2,290		
CH4470	Dua	I	180	300	1000	4	68m	8m 5.13m 2,450		kg §	\$87,000		5,700		
CH4570	Dua	I	225	300	1000		5.7m	6.05m	2,800	2,800kg \$		kg \$111,000		\$12	21,000
CH4620	Dua	l	240	300	1000		5.2m	6.47m	3,025k	kg \$	3113,000	\$12	4,300		
						сн о	PTIONS	5							
MC	DDEL		F	ixed Tool	bar Add	ar Add Crumble Roller Add (Requires toolbar option)					Rear Wh	neels Add	1		
MC	DEL		PRICE EX. GST		PRICE INCL. GST		PRICE EX. GST			PRICE EX. GST			ICE GST		
CH	4420		\$4,2	90	\$4,719	54,719		\$	\$9,790		\$6,190		809		
CH	4470		\$5,7	42	\$6,316		\$9,900		\$10,890		\$6,190		809		
СН	4570		\$6,20	00	\$6,820		\$11,700	\$12,870		\$6,190		\$6,	809		
СН	4620		\$6,30	00	\$6,930		\$12,500	\$	13,750	\$6	,190	\$6,	809		
					Α	н/сн	OPTIO	NS							
Logic	Charify	au an t	itios righ	at and lot			RAPLOUG		oventing b	ra elseta fe	r Darania	ugh logg			
Legs				nt ana iei HO-RCPL	t when orde EGLH	ring		150x150 M		3770-OFF		ougn iegs			
PF	RICE EX. C			PRICE INCL. GST				PRICE EX.				INCL. GS	Т		
	\$1,950 ea				\$2,145 ea	FROM	IT DISCS	\$820 e	a 		\$9	002 ea			
			Front E HO-784				H-Diaca	Front	: Disc Mou HO-	nting kit. 78498-MI		disc.			
PF	RICE EX. G	ST		PF	RICE INCL. GS	ST		PRICE EX.	GST		PRICE	INCL. GS	т _		

\$1,210 ea

\$1,100 ea



\$2,500 ea

\$2,750 ea



We make every effort to ensure the accuracy of the information in this price list however we take no responsibility for any errors or omissions which may be contained herein. All prices and specifications are subject to change without notice – various specifications are available ex stock Melbourne and Brisbane Warehouse. Please check exact specification prior to ordering. All options listed are dealer fit unless otherwise indicated. Please check availability prior to ordering. Price does not include freight or pre-delivery.

CONTACT US

PFG Australia

- 199 Australis Drive, Derrimut, Victoria 3026
- (03) 8353 3600
- www.pfgaustralia.com.au

PFG Brisbane

- Building 2 LOT/334 Christensen Rd S, Stapylton QLD 4207
- (03) 8353 3600
- www.pfgaustralia.com.au

Customer Orders & Sales Enquiries

Logistics

Telephone: (03) 8353 3687

Email: logistics@pfgaustralia.com.au

Sales Department

Justin Fisher

National Sales Manager - Cultivation, Seeding & Vegetation Management

Mobile: 0467 504 452

Email: jfisher@pfgaustralia.com.au

Tom Wilkinson

Product Manager

Mobile: 0484 999 044

Email: twilkinson@pfgaustralia.com.au

Bill Pocklington

Regional Sales Manager - New South Wales & Western Australia

Mobile: 0427 433 473

Email: bpocklington@pfgaustralia.com.au

Craig Climo

Regional Sales Manager - Queensland & Northern Territory

Mobile: 0439 588 962

Email: cclimo@pfgaustralia.com.au

Paul Liistro

Regional Sales Manager - Victoria, South Australia & Tasmania

Mobile: 0474 355 215

Email: paul.liistro@pfgaustralia.com.au

SPARE PARTS

Gary Cincotta & Stephen Bongailas

Telephone: (03) 8353 3600

Email: parts@ pfgaustralia.com.au

Brisbane Despatch

Brisbane Distribution Centre

Telephone: (07) 3382 6690 Mobile: 0457 512 090 Email: hcoker@pfgaustralia.com.au

Melbourne Despatch

Melbourne Distribution Centre

Telephone: 0457 394 965

Email: despatch@pfgaustralia.com.au

Service Department

Adam Wellington

Technical Product Specialist - Cultivation and Seeding

Mobile: 0429 014 942

Email: awellington@pfgaustralia.com.au

Robert Balzarolo

Technical Product Specialist - Cultivation and Seeding

Mobile: 0427 433 483

Email: rbalzarolo@pfgaustralia.com.au

