



Husqvarna 240i with battery and charger

Easy to start and use, this reliable battery chainsaw is built on the proven expertise of Husqvarna premium products. Cut firewood or fell trees effortlessly without the risk of getting stuck in wood. Optimised for heavy-duty cutting, its max torque motor and well-balanced saw body enable a superior user experience for the not-so-experienced user. Part of the Husqvarna BLi-X 36V battery system and with smart solutions for storage, maintenance and safety, this battery chainsaw exceeds expectations.



Battery through body design (Pat.pend.)

Smart battery pack position, placed horizontally through the body of the machine. Reduces the risk of having dirt, chips, dust and water accumulate in the battery compartment, causing connector issues. Also, it means the weight of the battery can be placed in or near the desired center of gravity and in the rotational axis of the product, resulting in increased maneuverability. The through body design also offers a high degree of flexibility since it allows battery packs of different sizes to be used.



Interchangeable Battery System

Able to be used in all Husqvarna battery tools, our lithium-ion batteries are durable, easy to swap and recharge quickly

Max Torque Technology

The Max Torque Technology battery engine delivers a powerful chainsaw that is easy to handle and use with a premium cutting experience optimised for outdoor tasks like firewood cutting.



Automatic shutdown

The product is automatically shut down when left unattended which prolongs the life of the battery, and also lower the risk for injuries when left unattended.



FEATURES

- The Max Torque Technology battery engine delivers a powerful chainsaw that is easy to handle and use
- Able to be used in all Husqvarna battery tools, our lithium-ion batteries are durable, easy to swap and recharge quickly
- Smart battery pack position, placed horizontally through the body of the machine.
- Automatically shut down when left unattended
- This product does not emit CO emissions during use.
- High torque-to-weight ratio for increased efficiency, reliability and longer lifetime
- We have thoughtfully designed our products with an easy to operate and use intuitive keypad.
- Convenient key eyelet for easy hanging and wall storage in narrow spaces.
- Compact and lightweight design for more comfortable use
- Quiet operation

Technical Specifications

BATTERY	
Battery capacity	7.7 Ah
Battery charger	40-C80
Battery	BLi30, 36V / 7.7Ah
Battery pack weight	1.9 kg
Battery type	Li-Ion
Battery voltage	36 V
CAPACITY	
Chain speed at max power	12 m/s
DIMENSIONS	
Article gross weight	8300 g
Article net weight	7200 g
Bar length (inch)	14 in
Bar length	35.6 cm
Weight (excl. battery and cutting equipment)	3.5 kg
ENGINE	
Motor type	BLDC (brushless)
EQUIPMENT	
Bar mount type	HSM
Chain type	S93G
Chainsaw sub-group	Part time use chainsaws
Pitch	3/8" mini
Sprocket type	Spur 6
LUBRICANTS	
Oil pump capacity, max	9 ml/min
Oil pump capacity, min	7 ml/min
Oil pump type	Automatic
Oil tank volume	0.2 l
Power/fuel type	Battery
MATERIALS	
Master pack: Paper + Cardboard	0 g
Metal total	0 g
Paper	0 g
Paper + Cardboard total	880 g
PE total	0 g
PET total	0 g
Plastic foil	0 g
Plastic rigid	0 g
Plastic total	0 g
PS/EPS/HIPS total	0 g
PACKAGING	
Packaging height	323 mm
Packaging length	491 mm
Packaging volume	0.031 dm ³
Packaging width	276 mm
Quantity in Master pack	1
SOUND AND NOISE	
Sound power level, guaranteed (LWA)	102 dB(A)
Sound power level, measured	99 dB(A)
Sound pressure level at operators ear	91 dB(A)
VIBRATIONS	
Daily Vibration (Aeqv)	3.7 m/s ²
Daily Vibration Exposure (A8)	3.7 m/s ²
Daily Vibration Time (Time factor)	0.5 h
Equivalent vibration level (ahv, eq) front handle	2.6 m/s ²
Equivalent vibration level (ahv, eq) rear handle	3.7 m/s ²
Vibrations handlebar	3.5 m/s ²

ACCESSORIES



BLI20 BATTERY
967 09 17-01



40-C80
970 48 78-05



PREMIUM EARMUFFS WITH
HEADBAND
505 66 53-04



BATTERY BAG
585 37 18-01



COMBI CAN 5 + 2.5L
580 75 42-01



PROTECTIVE BOOTS - (LEATHER) WITH SAW
PROTECTION C20 SIZE - EU 39, AU/NZ 5.5
597 65 94-39



PROTECTIVE GLASSES - SUN X
544 96 37-03



MULTI PURPOSE GREASE
502 51 27-01



PROTECTIVE GLASSES - CLEAR X
544 96 37-01