

# Husqvarna PW 240

An electric pressure washer purposely designed to optimise your outdoor cleaning. Ergonomical and uncomplicated operation with its ultra-flexible hose, improved handle height, exceptional stability and intuitive user experience. The pressure washer's hose reel with hose guide allows for conveniently compact storage, and a range of smart features enable simple set-up and efficient use. Perfectly suited to effectively rinse off the areas around your home with outstanding results, every time.



#### Variable Flat Jet Nozzle

The pressure-adjustable, multipurpose nozzle gives you increased versatility, as it can be used for a wide range of cleaning tasks with perfect results.



#### Foam Sprayer

You can easily monitor the detergent usage and see its remaining level. This gives you perfect control – and you will never use any more detergent than necessary.

Metal Pump The pump is made of metal to minimise the risk of breakage and to give your product a long lifetime.



**Carrying handle** 

The robust and comfortable carry handle makes moving and transporting your machine extra convenient.



### **FEATURES**

- Gives the product a long lifetime
- Easy to see the remaining level of detergent and amount used
- Increased versatility for a wide range of cleaning tasks
- Robust carrying handle for easy transport
- Efficient storage and easy roll-up
- Targeted high cleaning performance

- Easy handling and roll-up
- Easy storage and transportation
- Quick access guide
- Maximizes efficiency and comfort
- Easy access and compact storage
- Easy access and more efficient work

| Technical Specifications            |                      |
|-------------------------------------|----------------------|
| CAPACITY                            |                      |
| Container capacity                  | 0.4                  |
| Electric protection class           | IP X5                |
| Max pressure                        | 140 bar              |
| Max self-priming suction            | 0.5 m                |
| Max. Water inlet temperature        | 40 °C                |
| Operating pressure Max              | 100 bar              |
| Water flow                          | 348-465 l/h          |
| DIMENSIONS                          |                      |
| Article gross weight                | 12000 g              |
| Article net weight                  | 10000 g              |
| Hose length                         | 8 m                  |
| Length of cord                      | 5 m                  |
| ENGINE                              |                      |
| Electric protection class           | IP X5                |
| Frequency                           | 50 Hz                |
| Phases                              | 1 ph                 |
| Rated current                       | 7,0 A                |
| Voltage                             | 220-240 V            |
| EQUIPMENT                           |                      |
| Plug                                | Туре I - 240 V       |
| PACKAGING                           |                      |
| Packaging height                    | 562 mm               |
| Packaging length                    | 395 mm               |
| Packaging volume                    | 72 dm <sup>3</sup>   |
| Packaging width                     | 325 mm               |
| Quantity in Master pack             | 1                    |
| Units Per Pallet                    | 12 pcs               |
| MATERIALS                           |                      |
| Cardboard                           | 1990 g               |
| Master pack: Paper + Cardboard      | Og                   |
| Metal total                         | Og                   |
| Paper                               | 496.6 g              |
| Paper + Cardboard total             | 2486.6 g             |
| PE total                            | 37.089 g             |
| PET total                           | Og                   |
| Plastic foil                        | 37.089 g             |
| Plastic rigid                       | 3.1 g                |
| Plastic total                       | 40.189 g             |
| PS/EPS/HIPS total                   | 0 g                  |
| SOUND AND NOISE                     |                      |
| Sound power level, guaranteed (LWA) | 92 dB(A)             |
| VIBRATIONS                          |                      |
| Hand arm vibration (Aeq)            | 2.5 m/s <sup>2</sup> |

## ACCESSORIES



ANGLED SPRAY LANCE 590 66 11-01



SUCTION HOSE 590 65 97-01



ROTATING BRUSH KIT 590 66 06-01



VEHICLE CLEANER & WAX 590 66 13-01



PIPE CLEANING HOSE 590 66 10-01

WATER FILTER 590 65 93-01



WATER SUCTION NOZZLE 590 66 05-01



STONE AND WOOD CLEANER 590 66 12-01





STEEL REINFORCED EXTENSION 0-RING KIT HOSE 591 10 64-01 590 66 09-01