

MF 8S

205–305 HP

A NEW ERA FOR
STRAIGHTFORWARD
AND DEPENDABLE
TRACTORS



red dot winner 2021



MASSEY FERGUSON

BORN TO **FARM**



reddot winner 2021



Within months of the announcement of its launch, our tractor of a new era was already receiving the highest honours. The MF 8S was presented with the prestigious Tractor of the Year 2021 title, the Red Dot Award: Product Design 2021, AE50 award and Farm Machine 2022.

MF 8S – A NEW ERA

for Straightforward and Dependable tractors

“Much more than just a tractor, the MF 8S Series provides an enhanced operator’s experience. It encompasses the style of tomorrow and the uniqueness of Massey Ferguson”

Thierry Lhotte
Vice-President & Managing Director, Massey Ferguson Europe & Middle East

The exciting new MF 8S Series heralds a completely new era for Massey Ferguson. It provides a complete farming solution designed to offer enhanced user experience encompassing the benefits of connectivity and smart farming technology.

To meet the demands of modern and sustainable farming Massey Ferguson combines state-of-the-art machinery with a whole new level of cab environment offering a comprehensive range of fully connected services to help you manage your business more efficiently. This personalised experience starts with the user considering the purchase and lasts through its entire dependable lifetime.

The MF 8S is a 100% connected tractor that enters in a new era of proactive and predictive support.

Its advanced connectivity ensures that drivers are always in contact with their farm, their fleet, their Massey Ferguson dealer and experts, so that you are never alone in the fields and operate in a sustainable and efficient manner at all times.

It also unlocks a whole range of innovative services tailored to your needs and, developed to keep your tractor running, operates at its best, maximising your fleet’s efficiency.

It is a tractor ahead of its time which outperforms on comfort, connectivity, ease of use, power efficiency, output, low cost of operation offering top reliability for fully maximised uptime and best return on investment.





MF 8S

DESIGNED
BY FARMERS,
FOR FARMERS

We began the MF 8S project with a blank page. At the heart of it was the global 'Voice of the Customer' study; an in-depth, one-to-one interview with customers and operators in several countries across the globe.

Key feedback from you, the customer, underlined the need for comfort, ease of use, value for money, excellent reliability, intuitive and convenient controls, efficiency transmitting maximum power to the ground, 100% connectivity and the ability to work with the most demanding implements.

It was an exciting and inspirational project for all those involved and an opportunity to build on Massey Ferguson's strong heritage of straightforward, dependable and accessible machines.

**THE RESULT: A MASSEY FERGUSON
TRACTOR FOR A NEW ERA. THE MF 8S.**

MADE BY DESIGN
EXCLUSIVE MF PROTECT-U CONCEPT

06



MADE FOR SMART FARMING & CONNECTIVITY

20



MADE TO MAXIMISE UPTIME
A NEW ERA OF SERVICES & CUSTOMER SUPPORT

44



10

LIVE FOR COMFORT
A NEW ERA OF CAB ENVIRONMENT

26

MADE FOR PERFORMANCE
ENGINE POWER EFFICIENCY

28

HIGH EFFICIENCY TRANSMISSIONS



- Designed by Farmers, For Farmers..... 4
- Made by Design – Exclusive MF Protect-U Concept 6
- Your MF 8S at a Glance..... 8
- Live for Comfort – A new Era of Cab environment..... 10
- Made for Comfort – The Exclusive Version 16
- Made for Smart Farming & Connectivity 18
- Made for Performance – Engine Power Efficiency 24
- High Efficiency Transmissions 26
- Made for Versatility & Traction..... 34
- Made For Hard Work – Hydraulics and PTO 38
- Made to Maximise Uptime – A new Era of services & Customer support..... 40
- Make the MF 8S as individual as your farm – Options & Specifications 46

MADE BY **DESIGN**

EXCLUSIVE MF PROTECT-U DESIGN – ENGINE & CAB
INSTALLATION DESIGN PROVIDES VISIBILITY, COMFORT,
EFFICIENCY AND ULTIMATE PERFORMANCE

The beauty of the MF Protect-U design, with a 24 cm gap between the engine and the cab, is what makes this tractor so disruptive and unique. Protecting and giving ultimate front visibility and comfort for the operator. Having the engine fully encapsulated and isolated from the cab reduces noise and vibration inside the cab becoming the quietest on the market at only 68 dB! It also contributes to heat insulation for the cab while improving engine cooling capacity and efficiency, maximising uptime. The cab, together with the wasp-waisted bonnet, the inclined windscreen bending toward the front, offers ultimate all round unequalled visibility, space and comfort.

▲ **THE PROTECT-U DESIGN** ▶

The encapsulated engine contributes to ultimate engine performance improving cooling capacities by always getting fresh air.

“ The style of tomorrow.
The uniqueness of
Massey Ferguson. ”



OUR PAST FUELS OUR **FUTURE**

The new MF 8S Series combines radical design with a practical purpose. The striking 'neo-retro' design pays tribute to the brand's legacy, illustrated by a new interpretation of the iconic MF grey sabre stripe on the side and horse head collar motif on the bonnet, which dates back to the MF 100 and MF 3000 series.



OUR PAST...



...FUELS OUR FUTURE

YOUR MF 8S AT A GLANCE

Your MF 8S is a tractor ahead of its time which outperforms on comfort, connectivity, ease of use, power efficiency, output, low cost of operation offering top reliability for fully maximised uptime and best return on investment.

WITH SIX MODELS TO CHOOSE FROM,
THIS IS ONE OF THE BEST CHOICES THAT YOU WILL MAKE.

	MF 8S.205	MF 8S.225	MF 8S.245	MF 8S.265	MF 8S.285	MF 8S.305
Engine	AGCO Power – Stage V – All-in-One technology					
Engine capacity	6 cylinder, 7.4 litre					
Transmission	Dyna-7 / Dyna-VT			Dyna-VT		
Max. power @ 1,850rpm	205hp	225hp	245hp	265hp	285hp	305hp
Max. power EPM	225hp	245hp	265hp	285hp	305hp	N/A
Maximum torque @ 1,000 - 1,500 rpm	950Nm	1,000Nm	1,100Nm	1,200Nm	1,260Nm	1,280Nm

The next level of space, comfort, ergonomomy and connectivity

The quietest cab on the market with a noise level of only 68dB offering 360° visibility. Cab and front axle suspension improves driving comfort while the new MF vDisplay Digital dashboard provides all needed information at a glance. The new armrest offers best-in-class control of all the tractor's operations.

Low cost of operation

- ▶ Engine efficiency - max power and torque at low engine revs cuts fuel consumption by 10% and reduces noise level
- ▶ Automatic valve clearance setting
- ▶ Easy access to daily maintenance
- ▶ MFCare Repair and maintenance contract schemes

Efficient drive-lines bring higher productivity and efficiency

- ▶ Dyna-7 powershift transmissions offering incredibly smooth shifting raising comfort
- ▶ The continuously-variable Dyna-VT transmission brings complete operator comfort an optimum fuel efficiency at all times
- ▶ All three transmissions come with Engine Power Management to deliver more power when it's needed most
- ▶ Perfect engine/transmission combinations provide maximum output



Straightforward, smart, sustainable farming technologies. New Datatronic 5 and optional Fieldstar 5 terminal provide the latest user friendly precision farming package

- ▶ 9" touchscreen terminal created to provide a more intuitive and precise farming experience
- ▶ New MF Guide solutions provide economy by reducing overlaps
- ▶ MF Section and Rate Control allows you to adjust the application rate on the go, whilst automatically minimising overlap, skips and wasted product
- ▶ MF TaskDoc creates and sends securely detailed records of jobs to the office and preferred partners through the secured Agrirouter cloud
- ▶ MF Connect telemetry enables remote and near real time monitoring and decision making, improving efficiency and maximising uptime

Ability to work faster with the most demanding implements. Up to five spool valves to the rear and three to the front, including front linkage, and Power Beyond installation, plus a high lift capacity hitch. The hydraulic system offers the ability to work faster with the widest implements while increasing versatility.



LIVE FOR
COMFORT



THE CAB

THE NEW ERA of Comfort, Visibility and Controls

From the origins of modern tractor design, the Massey Ferguson cab has been renowned for excellence. With the MF Protect-U design, the MF 8S moves that legacy a step forward. It's something we work hard for, so you can sit and reap the benefits when days go on and on, in a very productive environment that blends space, comfort, visibility, quietness, ease of use, connectivity and quality. Because we know that a more productive operator is an operator who creates profit for his business.



3.4m³

Space for you and a passenger



VISIBILITY
6.6m²
GLASS SURFACE

and tilted windscreen providing safety, ease of operation
and control on the job in hand



68dB

The quietest cab in the market today
reducing stress and fatigue

MADE FOR **CONTRACTORS**

“ We need our operators to be really alert and comfortable during the long working days. ”

A TRACTOR SHOULD NOT ONLY MAKE ITS DRIVERS COMFORTABLE **BUT ALSO PROUD.**

A driver who takes pride in his job is also more productive and creates profit. If you are a contractor or running a large farm with drivers, the MF 8S is a tractor which they will be proud to drive.

The immersive, connected and comfortable operator's environment consists of elegant, quality materials and finishes. The MF 8S cab has been carefully studied and designed with one objective in mind - enhanced driver functionality, for a truly unique farming experience.



MADE FOR **COMFORT**

SOMETIMES IT'S THE SMALL DETAILS THAT CAN MAKE A HUGE CHANGE TO YOUR WORKLOAD.

THE NEW MF VDISPLAY.
The MF 8S's easy to read digital dashboard can be personalised.



EASY AND SECURE ACCESS.

Large wide door, steps, rails and tiltable steering column provide best-in-class accessibility to the cab.



ALWAYS CONNECTED - Two USB ports and adjustable phone and tablet holder available through AGCO Parts.



Access radio or your phone's functions through the Datatronic 5.

MADE FOR COMFORT

SUN SHADE. Up to four sun blinds, along with the tilted front windscreen and the large roof, provide shade for total protection.



FRONT WIPER. With the MF Protect-U cab design, 72% coverage of the windscreen is achieved. Lateral wiper option is also available.



SIDE MIRRORS feature an adjustable top and lower section offering the best view during transport and reduce blind spots. Options include: electric de-icing and electronically adjustable mirrors.



The **16 LED LIGHTS OPTION** transforms night into day. In standard specifications, the MF 8S includes automatic beacon activation, comfort light delay at the end of the day with automatic work light extinction.



CAB SUSPENSION brings extra comfort. Two types available: mechanical and active mechanical.



The **ACTIVE MECHANICAL CAB SUSPENSION** uses silent block bushes and spring-assisted shock absorbers providing optimum damping forces for all driving situations. It is adjustable, allowing you to set the firmness of ride.

ALWAYS FRESH

EFFICIENT AUTOMATIC AIR-CONDITIONING is available and supplied through 14 automotive-style outlets located all around the operator for perfect air distribution...



...and automatic management is available via the **Datatronic 5** on the Exclusive version...



...and controls are easily accessible on the armrest.



Always get fresh drinks and food courtesy of the **COOL BOX** located under the passenger seat.



NOW PLEASE TAKE YOUR SEAT AND ENJOY COMFORTABLY YOUR WORKING DAY

Massey Ferguson offers the best-in class seat depending on models and options providing outstanding comfort.



EXCLUSIVE VERSION – STANDARD SEAT

Automatic air suspended swivel seat, heated, lateral damping



EXCLUSIVE VERSION – OPTIONAL SEAT

Semi leather automatic air suspended swivel seat, ventilated, 2 levels of heating, lateral damping and dual motion backrest, with Dynamic Damping System

MADE FOR COMFORT

Exclusive is a combination of high-spec versatility and refinement dedicated to operators looking for a tractor with advanced features and functions in terms of ergonomics, comfort, automation, Smart Farming capacities and full connectivity.

This version is aimed at more intensive, large scale operators looking for more advanced features that will ensure cost-effective benefits for their business. The Exclusive armrest comes with numerous benefits including comfort and convenience when operating multiple, frequently-used controls.

Exclusive also adds the Datatronic 5 as standard. Use the 9" touchscreen terminal to manage tractor functions, ISOBUS capability to simplify implement operations and use of MF Smart Farming solutions for Agriculture 4.0.

Using the Exclusive package, operate the most technologically advanced and demanding implements with the optimum efficiency to take advantage of their increased productivity.



EXCLUSIVE ELECTRO HYDRAULIC JOYSTICK

- A Lift front linkage or rear valve control +
- B Lower front linkage or rear valve control -
- C Front or rear valve control +
- D Front or rear valve control -

EXCLUSIVE VERSION

THE ULTIMATE EXPRESSION OF PRODUCTIVITY AND INNOVATION

COMFORT & SAFETY	
STANDARD	QuadLink front axle suspension
	Mechanical active cab suspension
	Automatic Air Conditioning
	16 LED working Lights
	Rear Camera
	Mirrors with electric de-icing and adjustment
	Semi leather automatic air suspended swivel seat, ventilated, 2 levels of heating, lateral damping and dual motion backrest, with Dynamic Damping System
	DAB Radio, Bluetooth, with integrated microphone

OPTION	
---------------	--

EFFICIENCY
40 km/h Dyna-VT or 40km/hr Eco, Dyna-7
All controls in the ergonomic armrest with Multipad lever
Closed Centre 150 l/min hydraulics
4 electrical spool valves with electrical joystick and fingertips

50Km/h Eco Dyna-7 or Dyna-VT 50km/hr Eco*
Closed Centre 205 l/min or 205l/min ECO hydraulics
4,800 kg Cat 3 front linkage
1,000 rpm front PTO
Up to 8 electrical spool valves fully configurable and customizable on the Exclusive armrest

CONNECTIVITY
Datatronic 5 touchscreen terminal 9" (With Tractor settings management & ISOBUS integrated, camera & MF Guide compatible)
MF Guide guidance ready from factory
MF Connect telemetry with 5 years subscription
MF Task Doc recording all jobs' data
ISOBUS

MF Guide system with Advanced guidelines
MF Section & Rate Control
MF Task Doc Pro
MF Next Management FMIS
Fieldstar 5 terminal
Radio & Phone interface, MF E-Loader management via the Datatronic 5 touchscreen terminal 9"

Multipad Lever

Driving Mode



Datatronic 5
9" terminal

PTO engagement

3 fingertip spool valves

Lights and Air Conditioning controls

Linkage Depth adjustment

Phone & Radio Control

Traction Control

Hand Throttle

MADE FOR SMART FARMING & CONNECTIVITY

The New MF 8S range has taken Smart Farming and connectivity to new heights.

It features the MF 8S with the latest standard Connective Package, which comes with Real Time Information and Remote Service. What's more, it comes with a new and more intuitive Datatronic 5 interface as well as with the Fieldstar 5 terminal to control Smart Farming and Agriculture 4.0 features such as: MF Guide, MF Section and Rate Control as well as data transfer and management through MF Task Doc and Task Doc Pro.

“ We run our operations with the very latest technology and need to reduce inputs as well as using excellent data management facilities.”



DATATRONIC 5

Powered by Fuse® Smart Farming Solutions

FUSE
SMART FARMING. SYNCHRONIZED.



▶ **The new MF E-Loader auto-control function** helps to increase loading accuracy, productivity and safety. It enables operators to weigh individual fork or bucket loads. It also records the total weights of each item, load or job and these can be transferred as a simple spreadsheet. Operators can set-up and save automatic sequences for different loading cycles. MF E-Loader also provides a useful bucket shake facility.




▶ **Full tractor functions management** and optimisation features such as transmission, engine and hydraulics. Moreover there is the remarkable Dual Control system providing excellent control of semi-mounted ploughs by automating the furrow entry and exit. At the same time the system adjusts the plough's depth wheel in relation to the rear linkage.



▶ **Video Mode** – Pictures from the on-board camera can be displayed on the console screen, allowing operators to monitor complex implements or simply improve safety and efficiency when reversing.



▶ **Headland management settings** – The Datatronic 5 comes as standard with the most intuitive, straightforward and easy to use automatic headland management system available in the market. It is designed to save you significant time at headlands, allowing you to concentrate on the operation in hand so that you can maximise outputs with ease.



▶ **Access to radio functions via Datatronic 5:** the same as you would in a car, simply connect devices via Bluetooth, USB or aux control with the option of synchronising more than one smartphone. Memorise radio stations, receive and make calls and other functions.



▶ **ISOBUS for total implement control** – ISOBUS allows an implement manufacturer's control system to be displayed on the terminal screen, saving owners and operators time and money, with no need to install additional monitors in the cab. Simply plug the implement lead into the tractor's ISOBUS socket and the system automatically uploads the operating menus and displays on the screen.



▶ **ISOBUS MultiPad switch assignment** – ISOBUS implements can be controlled directly using the MultiPad lever. Having all controls (tractor and implement) on the same lever is a lot more convenient than using additional displays and levers.



▶ **Memorise data and settings** – Unlimited number of user settings configurations enable the system to record information during operation on area worked, fuel use, hours worked and much more. All the settings and parameters can be stored by the Datatronic terminal. All these settings can be stored and recalled to find the previous setting that was used on a tractor.



MADE TO KEEP YOU ON TRACK

MF Guide is Massey Ferguson's full featured, hands-free steering system. MF Guide is capable of delivering sub-metre, decimetre and centimetre accuracy, increasing the efficiency of your farming operations.

CHOICE OF RECEIVERS & CORRECTION SIGNALS



xFILL™ TECHNOLOGY
Should you lose your signal due to the terrain, MF Guide continues to work reliably up to 20 minutes without a correction signal thanks to Trimble®-xFill™ technology.




NovAtel®



Trimble®

With the new Massey Ferguson MF Guide, there are now two different receiver systems available: NovAtel® and Trimble®. Existing Trimble® RTK infrastructures on the farm, such as NTRIP, can continue to be used. Talk to your local Massey Ferguson Dealer or Distributor to find out more.



- 2cm: Novatel/Trimble RTK
- 4-15cm: Novatel/Trimble optional correction signals
- 15-30cm: Novatel/Trimble Standard





EASY, FAST SET-UP WITH **GO MODE** FUNCTION

Starts up within 5 minutes, even for first time users. This allows the operator to begin working with auto-guidance/steering for the first time in three easy steps...



... IMPLEMENT...



... WAYLINE...




KEY BENEFITS **FOR YOU**



12% FUEL SAVING

Guidance systems are proven to save up to 12% fuel in field operations.



NO OVERLAPS

MF Guide virtually eliminates overlaps.



SAVINGS

Using MF Guide helps you save money by reducing overlaps, precision application and increasing efficiency.



COMFORT

Using MF Guide helps to reduce fatigue and stress by guiding you efficiently through your working day.



MFsection control

FUSE SYNCHRONISED

MF Section Control is the new Precision Farming solution from Massey Ferguson providing the most advanced and most efficient Section Control feature managing up to 36 sections and 5 applications. With the fully automatic Section Control for ISOBUS implements, operators can apply seeds, fertilizer or pesticides without overlapping. This prevents double treatment and areas worked outside of the field edges. With the aid of the straightforward and easy to use Section Control assistant, the operators can set the correction values for each implement, quickly and easily. The system uses the tractor's GPS system to automatically turn on and off individual sections in areas that have already been covered which automatically results in economical application and enhanced yields.



MFrate control

FUSE SYNCHRONISED

Variable application with Variable Rate Control (VRC)

Data transfer with TaskDoc™ Pro now permits variable rate application, based on the needs of the soil or plants, and therefore saves operating inputs. The individual requirements for seeds, fertiliser and pesticides are shown on application maps. They are then called up during operation and automatically executed. The big advantage: operating inputs can be defined and planned with the aid of the field database and then applied with utmost precision. For example, you can tailor chemical or fertiliser application in areas as required, lowering input cost and further enhancing yields.

MF TASK DOC & AGRIROUTER: NEXT MACHINE MANAGEMENT

MFtask doc
FUSE SYNCHRONISED

Information is power, with accurate data measurement and recording enabling more precision in decision making. The new TaskDoc™ system has a place in the future of agriculture, helping farmers to become more productive through the knowledge brought by putting precision-measured data at the business owner's fingertips.

With **TaskDoc™** all jobs' data can be recorded with a minimum of effort, documented in the field record and then analysed, all in the shortest amount of time. The data is transferred vis USB Stick from the Datatronic 5 terminal to the office using the ISOBUS standard TC-BAS. Data on the quantity of seeds and fertiliser applied or the fuel consumption is available immediately after the work is done.


The **TaskDoc™ Pro** version, also enables recording of the GPS position data and data transfer in real-time via mobile through the secured AgriRouter Cloud service. This makes automatic, seamless exchange with ISOXML-capable field management software and mapping possible including in MF Next Management FMIS. The data for the operating inputs that have been used are transferred and can also be monitored through the Datatronic 5 terminal while working.



AGRIROUTER





This universal data exchange platform lets you connect machinery and your Farm Management Information System (FMIS), regardless of vendor or manufacturer. You can also determine who to exchange data with, and to what extent. AgriRouter is your ticket to the digitalization of agriculture, enabling you to retain control of your data.



MADE FOR PERFORMANCE

THE PURE EXPRESSION OF POWER EFFICIENCY

The new MF 8S, teamed up with the most mature engine SCR technology on the market, the undisputed sustainable leader in heavy duty farming operations delivering class-leading power and torque, with best-in-class Total Cost of Ownership.



EPM available on the full range (not only at Max power)
Constant power between Max power rpm & Max torque rpm




1280Nm
torque



305HP
Power max



-40%
Particle reduction



LOW MAINTENANCE
COSTS

EFFICIENT SUSTAINABILITY

7.4L, 6-cylinders AGCO Power engine maximises the advantages of the most environmentally-friendly de-pollution system to improve air quality, mitigate climate change and contribute to a quieter environment for the operator and the neighbourhood during working hours.



+8% POWER ▶
with Engine Power Management




+5%
Productivity



10% FUEL SAVING
Fuel Savings by lower engine revs



-5.5dB
by lower engine revs



LOW IDLE
Automatic low idle system cuts engine revs to save fuel and reduce noise




NO COMPROMISE

The All-in-One de-pollution system is packed up neatly under the cab contributing to keep visibility

EPM

EPM OFFERS UP TO 20HP MORE WHEN IT IS MOST NEEDED.

This means your MF 8S[†] responds automatically to the load imposed on it, and adjusts fuelling accordingly to give you extra power. Designed to tackle tough transport and PTO work challenges, advanced electronic engine and transmission management makes more power automatically available under load or at speed.



*EPM becomes active when the tractor is moving

† N/A for MF 8S.305

HIGH EFFICIENCY TRANSMISSIONS

WHEN IT COMES TO DRIVE POWER, WE'VE REALLY
SHIFTED UP A GEAR AT THE SPEED OF MIND

The MF 8S is available with the choice of three automated transmissions offering the most advanced technology in its category, best-in-class ease of use, smooth shifting, efficiency delivering straight power to the ground. Speed shifting is fully automatic and as quick as the speed of mind.

DYNA-7 AND DYNA-VT ARE THE BEST
CHOICE OF TRANSMISSIONS EVER.

Easy to use. Smart to operate. Efficient and comfortable.

MADE FOR CONTROL

“ Control in the palm
of your hand. ”

The Multipad lever operates the transmission as well as controlling cruise control, the rear linkage, PTO, headland management, spool valves through the integrated micro-joystick. All operations are easily to hand for greater comfort.

Transmission mode
selection I / II

Transmission settings

POWER CONTROL LEVER

Exclusive, Simple, the unique Massey Ferguson Power Control lever provides straightforward three-in-one operation.



YOU CAN:

- shuttle between forward /reverse 
- shift speeds and ranges: up  and down 
- de-clutch 
- select neutral 

LEAVING YOUR RIGHT HAND FREE TO OPERATE A LOADER OR ANY IMPLEMENT HYDRAULICS.

DYNA-7 TRANSMISSION


Made for power efficiency.
Transmission technology.

DYNAMIC PERFORMANCE COMES AS STANDARD



The new Massey Ferguson's Dyna-7 semi-powershift transmission is building on the strong legacy from the Dyna-6 renowned for its **performance** and **efficiency**. It is now even more refined. This provides not only one extra powershift speed and smoother shifting, but it is also **15% more efficient than the Dyna-6**.

Dyna-7 comes with Eco as standard - reducing engine speed at maximum forward speeds providing a **quieter drive** and **less fuel consumption**.



Dyna-7 combines **effortless operation** with complete efficiency to create an **extraordinary operator's experience**. Dyna-7, uniquely, provides a smooth, 7-speed Dynashift change in each of 4-ranges, giving a tremendous range of powershift flexibility over a wide speed range, giving maximum field performance. Both Dynashift and range changes are made under load, without the need to use the clutch pedal.

DYNA-7 TRANSMISSION



DYNA-7 BENEFITS AT A GLANCE

- ▶ 12 speeds in the Field Working Range
- ▶ 40 Km/h or 50 Km/h maximum speed available* at low engine speed (Eco)
- ▶ Eco feature allows top speeds to be achieved at low engine revs (Maximum 53 km/h @ 1,650 rpm), offering a reduction in noise and fuel consumption
- ▶ Cruise control speeds (C1/C2)
- ▶ Brake pedal puts transmission in neutral
- ▶ Reverse shuttle aggressiveness adjustment, separate adjustment for forward and reverse
- ▶ Aggressiveness adjustment for Dynashift ratios

* Depending on market legislation



28x28
Speeds



-15%
power loss
Vs Dyna-6



5%
Fuel savings

DYNA-VT TRANSMISSION

THE SMOOTHEST POWER DELIVERY,
THE ULTIMATE IN PRODUCTIVITY.

With the continuously-variable Dyna-VT transmission, we have developed a system of power transfer that surpasses all others for ease of use and precision.

It's intuitive to the operator, the easiest of transmissions to understand and get the most from, and new operators will quickly settle into feeling at one with the machine.



DYNA-VT BENEFITS AT A GLANCE

- ▶ Stepless transmission brings complete operator comfort and optimum fuel efficiency at all times
- ▶ Simple, infinite speed control, from 0.03 speeds to 40 km/h or 50 km/h* available with 40 km/h super Eco or 50 km/h* Eco
- ▶ The choice of two speed ranges optimises torque for different applications
- ▶ Lever, pedal control means operator can choose his preferred mode
- ▶ 'Supervisor' maximises output under varying loads
- ▶ New Automatic mode enables operators to adjust forward speed, while automatically regulating engine speed according to load and speed
- ▶ Shuttle and Pedal aggressiveness adjustment with Brake pedal to neutral feature



INFINITE
Speeds from 0.03 km/h to
40 km/h or 50 km/h*



HIGH COMFORT
Stepless transmission.

* depending on market regulation

ULTIMATE COMFORT.


STEPLESS TRANSMISSION.



The **'Automatic mode'** is on continuous stand-by and activates when engine speed falls under load. The benefit of the 'Supervisor' is that even when the load on the engine is increased and engine speed drops, the transmission will automatically reduce forward speed to maintain total power, whether in PTO applications, field work or transportation. When used in conjunction with C1 and C2, which set a specified forward speed, the tractor will then operate at maximum output as load fluctuates as well as automatically adjusting the tractor back to the required speed.

The original Dyna-VT transmission is a true testament to precision engineering; guaranteed productivity, complete operator comfort and optimum fuel efficiency at all times.

AUTOMATIC MODE



▲ The highly-regarded Dyna-VT continuously variable transmission now has a new automatic mode. This allows operators use the Multipad lever or foot pedal to alter forward speed, while automatically setting the optimum engine speed according to the load and speed. As well as delivering smoother operation, it also improves fuel efficiency.

As the load (red line) changes according to varying conditions, the Dyna-VT automatically responds by adjusting the engine speed (grey line) to maintain the set forward speed. This optimises performance, saves fuel and reduces noise.



▲ **STEPLESS TRANSMISSION**
Dyna-VT is amazingly simple to operate and works extremely well in differing conditions. There's no shifting of gears, no jolts and no breaks in traction or power.

Simple, infinite speed control, from creeper speeds to 50 km/h* Depending on market legislation*

MADE FOR VERSATILITY & TRACTION

Tractor power means nothing if it cannot be transferred to where it matters: the ground

With a minimum weight of just 8.7 t, the MF 8S Series tractors are lighter than others in this class. This allows them to tread lightly for top work and transport, while the strong design also enables them to carry heavy loads or be ballasted up for draft operations.

A wide range of ballast and tyre choices, including a large rear wheel diameter of 2.05m, ensures that MF 8S tractors can be tailored precisely to the tasks that are expected of them, for maximum traction with the maximum soil preservation, whilst using the minimum of fuel.

That is part of our commitment to help protect the soil and preserve the land for future generations.

“ Our land is heavy clay so minimising soil compaction is extremely important. ”



3.05m

PERFECT WHEELBASE FOR THE PERFECT POWER AND SOIL PRESERVATION.

Wheelbase length is 3.05m offering improved stability with or without a heavy implement, maintaining high levels of traction in the field and increased comfort in transport.

The combination of the wheelbase and the MF 8S chassis design means that less ballasting weight is needed, ensuring maximum soil preservation and reduced ground pressure during cultivation, drilling and seeding




▲ **BALLASTING FOR FLEXIBILITY**

To deal with intensive traction work or counter ballast (front or rear), sometimes you need extra weight, so a wide choice of ballasts is available. The MF 8S is available from factory with additional front and rear weights to exactly match your needs.



5.7m
turning radius*



▲ **MANOEUVRABILITY**

Improved manoeuvrability for loader operation, in the farm yard and when turning at the headland.

The curved design of the chassis and bonnet ensures ONE OF THE BEST TURNING CIRCLES ON THE MARKET.

◀ **QUADLINK FRONT AXLE SUSPENSION**

Improved comfort and safety for transport applications and greater traction is delivered by a new and innovative front suspension option. The simple design produces superior ride comfort, turning angle and offers the full angle of oscillation as well as maximising ground clearance. Completely maintenance-free.

▼ **SPEEDSTEER** reduces operator effort and provides faster turns - maximising your time in the cab.

It enables the operator to adjust the steering ratio and select the number of turns of the steering wheel required for a given amount of steering angle turns.



*Track 1950mm with 600/70R30 front tyres



MAXIMUM TRACTION,
SOIL PRESERVATION & LOW
FUEL CONSUMPTION WITH
TRELLEBORG TYRES



NO MACHINE WORKS IN ISOLATION ON A FARM

so working closely with tyre and farm equipment manufacturers makes sense and helps us all to develop our technology. The results of our joint partnerships enhance the quality, productivity and performance.

Matching the tractor with the best tyres for the job not only helps to protect the soil, but makes a big difference to your work.

Introduced as a concept on the MF NEXT Concept tractor at AGRITECHNICA 2019, the new Trelleborg TM1000 ProgressiveTraction tyres are now made a reality for the new MF 8S.

The new TM1000 ProgressiveTraction®, engineered according to the VF standards, is an innovative product which:

- ▶ provides superior flotation
- ▶ places less stress on the soil
- ▶ provides superior traction
- ▶ guarantees lower fuel consumption and emissions
- ▶ provides excellent handling and comfort
- ▶ has an extended lifetime

SELECTING THE CORRECT BALLASTS & TYRES: BENEFITS AT A GLANCE

- ▶ More power to the ground
- ▶ Ultimate traction capabilities
- ▶ Limited soil compaction to boost yields whilst maintaining soil health for the next generation
- ▶ Improved fuel economy



UP TO
+10%
Improved traction



+13%
Footprint for lowest
soil compaction



3%
Fuel savings



MADE FOR **HARD WORK**

OUTSTANDING OPERATION
AND PERFORMANCE TO
TACKLE ANY TASK AND
UNLOCK ANY FIELD

Modern implements are placing more and more demands upon the tractors that power them, which are asked to perform faster and respond better. The MF 8S comes with immense capabilities to easily handle heavy-duty applications with outstanding lift and drive capacities for the very latest implements. The MF 8S is a tractor which is powerful, full of torque and nimble capabilities. Perfect if you are looking for a machine with unbeatable power take off, for outstanding operation and performance when working with the most advanced implements.





“ The MF 8S is a tractor which is powerful, full of torque and nimble capabilities. ”



MADE FOR HARD WORK

UP TO 205 l/min ECO

Hydraulic efficiency is key for the overall performance of the tractor. MF 8S comes as standard with 150 l/min Closed Centre Load Sensing hydraulics with the option of 205 l/min and 205 l/min ECO offering the highest flow at low engine revs to save fuel.



ISOBUS

socket connects compatible implements.



Up to

2

front spool valves and free return.



Up to

4,800 kg

lift capacity. Heavy duty Integrated Front Linkage System (IFLS) is available as an option and is designed to match the front suspension.



1,000 RPM

front PTO is available.

Combined with the front linkage allows a wide range of additional implements to be powered: reducing passes and improving efficiency. Benefit from real time savings – more than doubling output when mowing grass.



4 PTO

speeds as standard on Dyna-7 transmissions: 540/540 Eco & 1000/1000 Eco. 2 PTO speeds as standard on the Dyna-VT: 540 Eco /1000. Optional 1000/1000 Eco. Speeds are achieved at low engine rpm, further improving fuel economy and helping to reduce in-cab noise levels.



Up to

10,000 kg

lift capacity from heavy duty rear linkage with Ultimate Draft Control. MF's digital ELC system gives the highest standards of draft control with more accurate depth settings and better ground contour following. The result is more weight transfer, better traction, less wheelslip, reduced tyre wear and reduced fuel consumption whilst still maintaining greater output.

POWER BEYOND

BUILT INTO THE CCLS SPOOL BLOCK IS A POWER BEYOND FACILITY that via additional flow and return pipes provides oil flow directly from the pump, enabling additional remote spool valves to be connected.



Up to

5

rear spool valves and free return with decompression lever

MADE TO MAXIMISE UPTIME



ENHANCED TRACTOR OWNERSHIP EXPERIENCE & COMPLETE PEACE OF MIND



MFconnect FUSE SYNCHRONISED **FUSE**
SMART FARMING. SYNCHRONIZED.

CONNECTED ANYWHERE. ANY TIME.

STANDARD WITH **5 YEARS** SUBSCRIPTION.

GREATER UP-TIME, OPTIMISED MAINTENANCE
AND SMARTER SERVICES WITH MF CONNECT.

OWNER, DEALER AND TRACTOR ARE 100%
CONNECTED!

MF Connect is a fleet monitoring system, that allows customers
to keep a close eye on their Massey Ferguson machines.

Viewing machinery operations and equipment operating parameters
in virtually real time on their mobile phone, tablet or desktop
computer has never been easier.

This enables owners and managers to manage operations more
effectively, helping to improve operating efficiency with remote
diagnostics, ensuring optimum uptime.

PARTS & SERVICE

IT'S ALL ABOUT A LIFETIME OF SUPPORT

Buying, owning and maintaining farm machinery can be complex, so having absolute peace of mind that you have great back-up and support is a hugely important consideration. As a Massey Ferguson customer you are assured of personalised, responsive and friendly support from our network of expert dealers who truly understand your business.

There's no cut-off time for Parts and Service because a machine may be out of service. We're available to you throughout your ownership of your Massey Ferguson machine.

We take great pride and responsibility in every machine we sell and we make it our mission to keep your machinery running reliably, every time you turn the key.



“ I want daily maintenance to be quick and easy so I can spend more time with my family. ”

THE MF 8S HAS BEEN DESIGNED TO PROVIDE FAST, STRAIGHTFORWARD, EASY AND COST-EFFECTIVE ROUTINE MAINTENANCE.

We have combined practicality with style to ensure daily maintenance is speedy, straightforward and simple, taking the stress out of maintaining your tractor, getting you to the field earlier for greater productivity and giving you some free time. With a Massey Ferguson MF 8S Series tractor, time spent in the yard preparing for the day ahead is kept to a minimum.

OPTIONS & ACCESSORIES

Today's farming demands machinery that is optimised to your business. Designed to tailor your Massey Ferguson machine to your needs, we offer a wide range of options and accessories – from loaders, weights, extra spool valves and hydraulic flowrates all the way through to auto-guidance technology. For your ultimate comfort there are seat upgrades, sound systems, drinks coolers and much more.

Everything we offer has been scrutinised by our engineers from all perspectives – optimum compatibility with your machine, safety, durability and performance. You'll get expert service from your Massey Ferguson dealer who has all the necessary installation tools and knowledge at their fingertips.



Engine air filter is easy to access and clean.



Easy access to remove the cab air filter for cleaning.



Front axle and slim waist bonnet design make oil dipstick and filter access easy.



Cooling package is easily accessible to make cleaning faster and easier.



Filling your fuel and AdBlue® tanks has never been easier.

MFservices


ALWAYS BY YOUR SIDE TO
INCREASE YOUR
**PROFIT AND
EFFICIENCY**

WELCOME TO MF SERVICES – EVERYTHING YOU
NEED TO SUPPORT THE OPERATION OF YOUR
MF 8S TRACTOR.

Accessible and adaptable, MF Services will help you control running costs, budgeting and business planning - ensuring each machine's operating hour is a success and giving you the freedom to focus fully on the core business of farming.

This comprehensive suite of service-related-products makes it easier than ever to own and operate **Massey Ferguson** farm equipment.





MASSEY FERGUSON DEALER NETWORK

Your MF Dealer represents the best farm machines expertise in your area. You can always turn to your dealer and receive the best service from sales, maintenance, repair and spare parts to the purchase of a new piece of equipment.

**MORE THAN 4,700
SERVICE & REPAIR
POINTS WORLDWIDE**




MASSEY FERGUSON GENUINE PARTS

REPRESENTS THE BEST GUARANTEE OF SAFEGUARDING THE VALUE OF YOUR NEW MF 8S OVER TIME, PROTECTING IT FROM UNPLANNED DOWNTIME.

Choose from an extensive range of accessories including lubricants, AdBlue, care kits, cab accessories and much more. All accessories are available for purchase exclusively from your MF Dealer.

Using the smartphone app "AGCO Parts Books to go", you can find MF spare parts quickly and easily and order them directly. The app is available for download in the App Store and in the Google Play Store. Your personal access data is available from your MF Dealer.



AGCO FINANCE

PROVIDES THE PERFECT FINANCING ARRANGEMENT FOR YOUR BUSINESS.

AGCO Finance is the integrated financial services arm of Massey Ferguson offering tailor-made solutions to your own farm.



MASSEY FERGUSON COLLECTION

NOW YOU CAN LOOK AS STYLISH AS YOUR MASSEY FERGUSON.

Looking for a cap to match your MF 8S... Or a stylish and durable overall to keep working? We have an exclusive range of high quality products to suit you, your farming activity, your family and your lifestyle.

To find out what we have available please login into our online Shop:

Shop.MasseyFerguson.Com

For the above support packages, country terms and conditions apply. Please note all packages may not be available in all markets.

Please check with your local MF Dealer/Distributor.

MAKE THE MF 8S YOUR OWN AND AS INDIVIDUAL AS YOUR FARM



A



B



D



C

	EXCLUSIVE
ENGINE	
6-cylinder AGCO POWER Stage 5	●
Engine with memorised speed control	●
HLA (Hydraulic Lash Adjustment)	●
Extra idle engine speed (750 rpm)	●
Engine Block Heater	○
TRANSMISSION	
Power Control shuttle	●
Right hand shuttle	●
A Multipad on Armrest	●
Dyna-VT 40 km/h Super Eco	●
Dyna-VT 50km/h Eco	○
Dyna-7 - 40Km/h Super Eco - Speedmatching & Autodrive	●
Dyna-7 - 50Km/h Eco* - Speedmatching & Autodrive	○
Creeper (Dyna-7)	○
4-speed cruise control	●
Dynamic Braking System	●
ParkLock	●
OPERATOR ENVIRONMENT	
Automatic Air Conditioning with multi-zone flow management	●
Roof hatch	●
Automatic Air Suspended Swivel Seat, heated, lateral damping	●
B Semi Leather Automatic Air Suspended Swivel Seat - heated, ventilated, lateral damping	○
Auxiliary Seat with Seatbelt	●
Mechanical cab suspension	●
Active mechanical cab suspension	○
Radio/Front Aux-in/Bluetooth/USB connector - with integrated microphone - Controls in armrest	●
Radio/Front Aux-in/Bluetooth/USB connector/DAB+ - with integrated microphone - Controls in armrest	○
Telescopic Wide Angle Mirrors with Electrical de-icing & Adjustment	●
Right hand side wash wipe	○
De-icing system on rear window	○
Adjustable Steering Column with Memory tilt	○
Adjustable Steering Column with Memory tilt & SpeedSteer	●
Radar and slip control	●
C Digital MF vDisplay	●
D Datatronic 5 touchscreen terminal 9" (With Tractor settings management & ISOBUS integrated, and in option, radio & phone interface, MF E-Loader, camera ready & MF Guide compatible)	●
Fieldstar 5 touchscreen terminal 9" (ISOBUS, camera ready & MF Guide compatible)	○
Trailer steering axle management	●
Dual Control	●
Headland Management System	●

- Not available
- Standard specification
- Optional
- * Depending on market legislation

	EXCLUSIVE
TECHNOLOGY	
ISOBUS capability & rear connector	●
Front ISOBUS plug	○
MF Guide Ready	●
MF Guide Novatel SM / CM NTRIP / CM Radio & NTRIP with Go Mode	○
MF Guide Trimble SM / CM NTRIP / CM Radio & NTRIP with Go Mode	○
36 section control and VRC (5 Products)	○
Advanced Guidance line - single wayline and contour segments	○
E Integrated roof camera	○
TaskDoc Pro	○
Connect Telemetry with 5 year free subscription	●
CHASSIS AND HYDRAULICS	
Electrical controls of spool valves with decompression lever	●
Exclusive electrohydraulic Joystick	○
Micro joystick on Multipad	●
Loader subframe, electrical valve and joystick	○
Loader subframe & Hydraulic Kit SMS 3 rd Live	○
Free return	●
Power Beyond with couplers P/T/LS/D	●
Dyna-7 – 150 l/min CCLS	●
Dyna-7 – 205 l/min CCLS	●
Dyna-VT – 205 l/min CCLS	●
Dyna-7 – 205 l/min CCLS ECO	○
F Dyna-VT 205 l/min CCLS ECO	○
Electronic linkage controls with Active Transport Control	●
Auto PTO function	●
Electric PTO speed selection	●
Auto 4-Wheel-Drive and Auto DiffLock functions	●
Telescopic stabilisers	●
Automatic stabilisers	○
Hydraulic top link	○
Integrated front linkage system	○
Integrated Front PTO	○
ELECTRICAL EQUIPMENT	
Isolator Switch & Jump Start Post	●
External lift control on fenders	●
External PTO start/stop control on fender	●
External remote valve control on fender	●
G 16 LED worklights with signature lights	○
Automatic rear lights when reversing	●
OTHER EQUIPMENT (SPECIFICATIONS MAY VARY BY MARKET)	
Suspended front axle with locking	●
Pivoting front fenders	●
Pneumatic trailer brakes	●
Pneumatic and single line hydraulic trailer brakes with ABS socket	○



E



F



G

TECHNICAL SPECIFICATIONS

Engine		MF 8S.205	MF 8S.225	MF 8S.245	MF 8S.265	MF 8S.285	MF 8S.305	
Engine Type		AGCO POWER						
No. of cylinders/no. of valves/Capacity	No./No./cm ³	6 / 4 / 7,400						
Bore / Stroke	mm/mm	108/134						
Aspiration		Turbo with electrical wastegate and intercooler						
Injection type		Common rail						
Fan type		Viscotronic						
Maximum hp	✚ ISO hp (kW)	205(151)	225(165)	245(180)	265(195)	285(210)	305(225)	
Engine rpm at maximum hp	rpm	1,850						
Maximum torque 1,000–1,500 rpm	✚ Nm	950	1,000	1,100	1,200	1,260	1,280	
Maximum power with EPM	hp (kW)	225(165)	245(180)	265(195)	285(210)	305(225)	-	
Maximum torque with EPM 1,000–1,500 rpm	Nm	1,000	1,100	1,200	1,260	1,280	-	
Max. power available @ PTO shaft (OECD, accuracy +/- 3%)	hp (kW)	186(137)	199(146)	216(159)	231(170)	249(183)	268(198)	
Fuel tank capacity	litres	460 (500 with Dyna-VT)						
AdBlue [®] tank capacity	litres	43						
Service interval	hours	600						
Dyna-7 Transmission								
Number of gears	fwd/rev	28/28						-
Min. speed @ 1,500 rpm	km/h	1.8						-
No. of speeds with creeper	fwd/rev	56/56						-
Min. speed with creeper		190 m/h @ 1,500 rpm						-
43 km/h SuperEco @ engine speed	rpm	1,350						-
53 km/h* Eco @ engine speed	rpm	1,650						-
Dyna-VT Transmission								
Number of gears	fwd/rev	Continuously variable transmission						
Field speed range	km/hr	Forward: 0.03-28km/hr - Reverse: 0.03-16km/hr						
Road speed range	km/hr	Forward: 0.03-50km/hr* - Reverse: 0.03 to 38km/hr						
40 km/h SuperEco @ engine speed	rpm	1,400						
50 km/h* Eco @ engine speed	rpm	1,550						

Every effort has been made to ensure that the information contained in this publication is as accurate and current as possible. However, inaccuracies, errors or omissions may occur and details of the specifications may be changed at any time without notice. Therefore, all specifications should be confirmed with your Massey Ferguson Dealer or Distributor prior to any purchase.

		MF 8S.205	MF 8S.225	MF 8S.245	MF 8S.265	MF 8S.285	MF 8S.305
Rear Linkage and Hydraulics							
Lower links type	CAT					Cat 3	
Maximum lift capacity, at link end	kg					10,000	
Hydraulic type & max flow	l/min					Closed Centre Load Sensing 150 l/min (not available with Dyna-VT transmission)	
Hydraulic type & max flow - Option 1	l/min					Closed Centre Load Sensing 205 l/min	
Hydraulic type & max flow - Option 2	l/min					Closed Centre Load Sensing 205 Eco 205 l/min @ 1,650 rpm	
Maximum pressure	Bars					200	
Maximum no. of rear spool valves						5	
Power Take-Off (Rear)							
Engine speed							
540Eco/1,000 (Dyna-VT only)	rpm					1,577 / 1,882	
1,000/1,000 Eco (Dyna-VT only)	rpm					1,882 / 1,605	
540/540Eco/1,000/1,000Eco (Dyna-7 only)	rpm			1,867 / 1,499 / 1,903 / 1,528			-
Shaft diameter	Inches					1 ³ / ₈ " 6 & 21 splines	
Front linkage and Front Power Take-Off							
Maximum lift capacity, at link end	kg					4,800	
Maximum no. of front spool valves						2	
Engine speed at 1,000 front PTO speed	rpm					1,920	
Wheels and Tyres (Full range available. Please consult your Dealer)							
Front						VF 600/70 R30 - 540/65 R30 (standard) - 710/55 R30	
Rear						VF 650/75 R42 - 650/65 R42 (standard) - 900/50 R42	
Weights (May vary depending on configuration. Please consult your Dealer)							
Minimum weight / average weight / maximum weight	kg					8,700 / 10,000 / 13,700	
Maximum Gross vehicle weight*	kg					16,000	

ISO 14396 - Not available * Depending on market legislation

DIMENSIONS

		Dyna 7	Dyna-VT
A Wheelbase	m	3.05	
B Overall length from front linkage to rear linkage arms	mm	5,375	
C Height at centre of rear axle to the top of MF Connect antennas	mm	2,390	2,410
D Total height	mm	3,390	3,410





DESIGNED
BY FARMERS,
FOR FARMERS





www.MasseyFerguson.com.au
www.MasseyFerguson.com.nz

www.facebook.com/masseyfergusonANZ
[Twitter.com/MF_EAME](https://twitter.com/MF_EAME)
[Instagram.com/MasseyFergusonGlobal](https://www.instagram.com/MasseyFergusonGlobal)
www.YouTube.com/MasseyFergusonGlobal



MASSEY FERGUSON® is a worldwide brand of AGCO.
© AGCO Corporation

ANZ P/N MK001MF8SV01
Printed December 2022



MASSEY FERGUSON

BORN TO **FARM**